Medtronic

# Spinal cord stimulation (SCS) for chronic intractable pain

## U.S. product list

Effective June 2023

# Table of Contents


Intellis™ system . . . . 4
- Intellis™ with AdaptiveStim™ technology rechargeable neurostimulator . . . . 4
- Intellis™ LT rechargeable neurostimulator . . . . 4
- Patient programmer . . . . 4
- Recharger . . . . 4

Vanta™ recharge-free system . . . . 5
- Vanta™ with AdaptiveStim™ technology recharge-free neurostimulator . . . . 5
- MyStim™ PC smart patient programmer . . . . 5

Vectris™ SureScan™ MRI leads . . . . 5
- Vectris™ SureScan™ MRI 1x8 subcompact lead kit . . . . 5
- Vectris™ SureScan™ MRI 1x8 compact lead kit . . . . 5

Specify™ SureScan™ MRI surgical leads . . . . 6
- Specify™ 2x8 lead kit . . . . 6
- Specify™ 5-6-5 lead kit . . . . 6

Extensions . . . . 6
- 1x8 extension . . . . 6
- Adaptor extension . . . . 6

Trial system . . . . 7
- Wireless external neurostimulator . . . . 7
- External neurostimulator boot . . . . 7
- Handheld programmer . . . . 7

Trial leads . . . . 7
- Vectris™ 1x8 subcompact trial lead kit . . . . 7
- Vectris™ 1x8 compact trial lead kit . . . . 7

Neurostimulation accessories . . . . 8
- Injex™ anchoring system with bumpy anchor . . . . 8
- Injex™ anchoring system with bi-wing anchor . . . . 8
- Curved-tip epidural needle (3.5″) . . . . 8
- Straight-tip epidural needle (6″) . . . . 8
- Vanta™ connector plug kit . . . . 8
- Curved-tip epidural needle (6″) . . . . 8
- TYRX™ neuro absorbable antibacterial envelope . . . . 8

Index . . . . 9

Legacy product repair . . . . 9

## To place an order

Call Medtronic Neuromodulation Customer Service.

## Toll-Free: 1-888-638-7627 Fax: 1-800-930-9361

Customer Service representatives are on duty to take your order between 7 a.m. and 7 p.m., CT. For faster service when calling, please have your account number available.

## Payment terms

Net 30 days from date of invoice. Prices are subject to change without notice.

## Shipping

Implantable neurostimulation systems are shipped freight on board (FOB) shipping point, where current pricing includes federal standard air or equivalent. Please allow five days for delivery. Rush (air freight) orders are shipped FOB shipping point. Vendor absorbs all shipping costs for returns generated by vendor shipping error, including freight charges both ways.

## Credit and returns

Full credit will be given for unopened, undamaged, and unmarked packages returned within 90 days from date of invoice. No credit will be given for packages returned after 90 days from date of invoice, or for packages that have been opened, damaged, or marked. A 20% restocking fee will be applied to all returned items. Please call Medtronic Neuromodulation Customer Service for an RGR# prior to returning the product, and be sure the RGR# is visible on the outside of the package. Returns due to overstock, restock, or undeliverable may be sent to:

Medtronic
Building A
4340 Swinnea Road
Memphis, TN 38118

## Warning

The products described in this price list are intended for use with appropriate Medtronic components. The use of other manufacturers' components with these products may result in damage to Medtronic components, less-than-adequate performance, or increased risks to the patient.

# Intellis™ system

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **97715** | **Intellis™ with AdaptiveStim™ technology rechargeable neurostimulator**<br>Uses multiple groups with up to four programs each. Approximately one-hour recharge (empty to full) provides added flexibility for high-power users. Includes additional features: AdaptiveStim™, Snapshot™ Reporting, SureScan™ MRI mode, fluoroscopy image library, check energy feature, and wireless communication.<br>*Sterile content:*<br>(1) Neurostimulator<br>(1) Pocket sizer<br>(1) Torque wrench<br>*Nonsterile content:*<br>Literature<br> |
| **97716** | **Intellis™ LT rechargeable neurostimulator**<br>Uses multiple groups with up to four programs each. Approximately one-hour recharge (empty to full) provides added flexibility for high-power users. Includes additional features: SureScan™ MRI mode, fluoroscopy image library, check energy feature, and wireless communication.<br>*Sterile content:*<br>(1) Neurostimulator<br>(1) Pocket sizer<br>(1) Torque wrench<br>*Nonsterile content:*<br>Literature<br> |
| **97745NT** | **Patient programmer**<br>Handheld programmer that enables patient to adjust settings and parameters (SureScan™ MRI Mode, AdaptiveStim™ groups, programs, amplitudes, pulse width, and rate) for the Intellis™ INS. Used, along with recharger, to recharge Intellis™ internal neurostimulator.<br>*Sterile content:*<br>None<br>*Nonsterile content:*<br>(1) Patient programmer<br>(2) AA batteries<br>Literature<br> |
| **97755** | **Recharger**<br>Used, along with patient programmer, to recharge Intellis™ internal neurostimulator.<br>*Sterile content:*<br>None<br>*Nonsterile content:*<br>(1) Recharger<br>(1) Belt<br>(1) Power supply<br>(1) Battery pack<br>Literature<br>  |

## Vanta™ recharge-free system

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **977006** | **Vanta™ with AdaptiveStim™ technology recharge-free neurostimulator**<br>Versatile programming for personalization. High-performance, recharge-free device that can be optimized up to 11 years. Includes additional features: AdaptiveStim™, Snapshot™ Reporting, SureScan™ MRI mode, fluoroscopy image library, in-app battery estimator, and wireless communication.<br>*Sterile content:*<br>(1) Neurostimulator<br>(1) Torque wrench<br>*Nonsterile content:*<br>Literature |
| **Order 1 each:**<br>**HH9020SCS**<br>**TM91SCS**<br>**B37120** | **MyStim™ PC smart patient programmer**<br>Smart patient programmer enables patient to adjust settings and parameters (SureScan™ MRI Mode, AdaptiveStim™ groups, programs, amplitudes, pulse width, and rate).<br>*Sterile content:*<br>None<br>*Nonsterile content:*<br>Model HH9020SCS smart handset with application A72200<br>Model TM91SCS communicator<br>Model B37120 accessory case |






## Vectris™ SureScan™ MRI leads

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **977A160**<br>**977A175**<br>**977A190**<br>*(Note: Shielded lead design protects patients from potentially harmful heating caused by radio frequency energy.)* | **Vectris™ SureScan™ MRI 1x8 subcompact lead kit**<br>Subcompact eight electrode lead. Contacts 3.0 mm, spaced 1.5 mm. Available in three lengths: 60, 75, 90 cm.<br>*Sterile content:*<br>(1) Lead<br>(1) Bent stylet (preloaded) (0.30 mm green handle, blue cap)<br>(1) Straight stylet (0.30 mm green handle, green cap)<br>(1) Passing straw<br>(1) Guidewire<br>(1) Tunneling tip<br>(1) Tunneling rod<br>(1) 14-gauge 3.5" Tuohy needle<br>(1) 14-gauge 3.5″ Tuohy curved tip needle<br>(1) Injex™ bumpy anchor with anchor dispenser tool<br>*Nonsterile content:*<br>Literature |
| **977A260**<br>**977A275**<br>**977A290**<br>*(Note: Shielded lead design protects patients from potentially harmful heating caused by radio frequency energy.)* | **Vectris™ SureScan™ MRI 1x8 compact lead kit**<br>Compact eight electrode lead. Contacts 3.0 mm, spaced 4 mm. Available in three lengths: 60, 75, 90 cm.<br>*Sterile content:*<br>(1) Lead<br>(1) Bent stylet (preloaded) (0.30 mm green handle, blue cap)<br>(1) Straight stylet (0.30 mm green handle, green cap)<br>(1) Passing straw<br>(1) Guidewire<br>(1) Tunneling tip<br>(1) Tunneling rod<br>(1) 14-gauge 3.5" Tuohy needle<br>(1) 14-gauge 3.5″ Tuohy curved tip needle<br>(1) Injex™ bumpy anchor with anchor dispenser tool<br>*Nonsterile content:*<br>Literature |

## Specify™ SureScan™ MRI surgical leads

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **977C265**<br>**977C290** | **Specify™ 2x8 lead kit**<br>One 16-contact paddle lead 7.6 mm wide, 1.9 mm thick.<br>Available in 65- and 90-cm lengths.<br>*Sterile content:*<br>(1) Lead<br>(1) Passing elevator<br>(1) Lead blank<br>(1) Tunneling tool<br>(1) Tunneling tool tip<br>(1) Passing straw<br>(1) Torque wrench<br><br>(2) 1x8 extension boots, clear<br>(2) 1x8 extension boots, white<br>Anchors (65 cm kits only):<br>(2) 2-wings<br>(2) 3-wings<br>(2) EZ anchors<br><br>*Nonsterile content:*<br>Literature<br><br> |
| **977C165**<br>**977C190** | **Specify™ 5-6-5 lead kit**<br>One 16-contact paddle lead 10.0 mm wide, 2.0 mm thick.<br>Available in 65- and 90-cm lengths.<br>*Sterile content:*<br>(1) Lead<br>(1) Passing elevator<br>(1) Lead blank<br>(1) Tunneling tool<br>(1) Tunneling tool tip<br>(1) Passing straw<br>(1) Torque wrench<br>(2) 1x8 extension boots, clear<br>(2) 1x8 extension boots, white<br>Anchors (65 cm kits only):<br>(2) 2-wings<br>(2) 3-wings<br>(2) EZ anchors<br><br>*Nonsterile content:*<br>Literature<br><br>  |

## Extensions

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **3708120**<br>**3708140**<br>**3708160** | **1x8 extension**<br>Available in three lengths: 20, 40, 60 cm.<br>*Sterile content:*<br>(1) Restore™ 1x8 extension<br>(1) 1x8 extension boot, clear<br>(1) 1x8 extension boot, white<br>(2) Set screw<br>(1) 38 cm passer<br>(1) Tunneling obturator<br>(1) Torque wrench<br><br>*Nonsterile content:*<br>Literature<br><br> |
| **EMBSNV20** | **Adaptor extension**<br>The 20 cm adaptor extension distal end connects to compatible Boston Scientific™ or Nevro™ leads or extensions. The proximal end connects to a Medtronic neurostimulator.<br>*Sterile content:*<br>(1) BSNV-8 adaptor extension<br>(1) Clear connector boot<br>(1) White radiopaque connector boot<br>(2) Spare setscrews<br>(1) Torque wrench<br>*Nonsterile content:*<br>Literature<br><br> |

## Trial system

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **97725** | **Wireless external neurostimulator**<br>Provides information for evaluating the success of Medtronic neurostimulation systems for pain therapy prior to implant.<br>*Sterile content:*<br>(1) External neurostimulator<br>(2) AAA batteries<br>*Nonsterile content:*<br>(2) AAA batteries<br>Literature<br>  |
| **37500301** | **External neurostimulator boot**<br>Nonsterile, single-use accessory used to secure the Model 97725 wireless external neurostimulator to patient's skin with an adhesive pad during trial stimulation.<br>*Sterile content:*<br>None<br>*Nonsterile content:*<br>(1) Single pack silicone boot (latex-free)<br>  |
| **97745FA** | **Handheld programmer**<br>Handheld programmer that enables patient to adjust settings and parameters for use with 97725 wireless external neurostimulator.<br>*Sterile content:*<br>None<br>*Nonsterile content:*<br>(1) Patient programmer<br>(2) AA batteries<br>Literature<br> |

## Trial leads

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **977D160** | **Vectris™ 1x8 subcompact trial lead kit**<br>Subcompact eight electrode lead. Contacts 3.0 mm, spaced 1.5 mm. Length 60 cm.<br>*Sterile content:*<br>(1) Lead<br>(1) Bent stylet (preloaded) (0.30 mm green handle, blue cap)<br>(1) Straight stylet (0.30 mm green handle, green cap)<br>(1) Guidewire<br>(1) 14-gauge 3.5" Tuohy needle<br>(1) 14-gauge 3.5″ Tuohy curved tip needle<br>*Nonsterile content:*<br>Literature<br>  |
| **977D260** | **Vectris™ 1x8 compact trial lead kit**<br>Compact eight electrode lead. Contacts 3.0 mm, spaced 4 mm. Length 60 cm.<br>*Sterile content:*<br>(1) Lead<br>(1) Bent stylet (preloaded) (0.30 mm green handle, blue cap)<br>(1) Straight stylet (0.30 mm green handle, green cap)<br>(1) Guidewire<br>(1) 14-gauge 3.5" Tuohy needle<br>(1) 14-gauge 3.5″ Tuohy curved tip needle<br>*Nonsterile content:*<br>Literature<br>  |

## Neurostimulation accessories

| MODEL NUMBER | DESCRIPTION |
|---|---|
| **97791** | **Injex™ anchoring system with bumpy anchor**<br>Deployable compression fit anchor, compatible with all percutaneous leads.<br>*Sterile content:*<br>(2) Anchor<br>(1) Anchor dispenser tool<br>(1) Anchor removal tool<br>*Nonsterile content:*<br>Literature<br>  |
| **97792** | **Injex™ anchoring system with bi-wing anchor**<br>Deployable compression fit anchor, compatible with all percutaneous leads.<br>*Sterile content:*<br>(2) Anchor<br>(1) Anchor dispenser tool<br>(1) Anchor removal tool<br>*Nonsterile content:*<br>Literature<br>  |
| **3550-14** | **Curved-tip epidural needle (3.5")**<br>*Sterile content:*<br>(1) 14-gauge 3.5" curved-tip needle with stylet<br>*Nonsterile content:*<br>Literature<br>  |
| **355028** | **Straight-tip epidural needle (6")**<br>*Sterile content:*<br>(1) 14-gauge 6" needle with stylet<br>*Nonsterile content:*<br>Literature<br>  |
| **B31060** | **Vanta™ connector plug kit**<br>The connector plug covers the unused socket of the Vanta™ neurostimulator.<br>*Sterile content:*<br>(2) connector plugs<br>*Nonsterile content:*<br>Literature<br> |
| **3550-43** | **Curved-tip epidural needle (6")**<br>*Sterile content:*<br>(1) 14-gauge 6" curved-tip needle with stylet<br>*Nonsterile content:*<br>Literature<br> |
| **NMRM6122**<br>**NMRM6133** | **TYRX™ neuro absorbable antibacterial envelope**<br>Available in medium (6.3cm x 6.9cm) and large (7.4cm x 8.5cm) sizes.<br>Contains minocycline and rifampin.<br>*Sterile content:*<br>(1) Envelope<br>*Nonsterile content:*<br>Literature<br>  |

## Index


| Model | Product | Page |
|---|---|---|
| **977006** | Vanta™ with AdaptiveStim™ technology recharge-free neurostimulator | 5 |
| **97715** | Intellis™ with AdaptiveStim™ technology rechargeable neurostimulator | 4 |
| **97716** | Intellis™ rechargeable neurostimulator | 4 |
| **97725** | Wireless external neurostimulator | 7 |
| **97745NT** | Intellis™ patient programmer | 4 |
| **97745FA** | Handheld programmer | 7 |
| **97755** | Intellis™ recharger | 4 |
| **97791** | Injex™ anchoring system with bumpy anchor | 8 |
| **97792** | Injex™ anchoring system with bi-wing anchor | 8 |
| **355028** | Straight-tip epidural needle (6″) | 8 |
| **3708120** | 1x8 extension | 6 |
| **3708140** | 1x8 extension | 6 |
| **3708160** | 1x8 extension | 6 |
| **37500301** | External neurostimulator boot | 7 |
| **3550-14** | Curved-tip epidural needle (3.5″) | 8 |
| **3550-43** | Curved-tip epidural needle (6") | 8 |
| **977A160** | Vectris™ SureScan™ MRI 1x8 subcompact lead kit | 5 |
| **977A175** | Vectris™ SureScan™ MRI 1x8 subcompact lead kit | 5 |
| **977A190** | Vectris™ SureScan™ MRI 1x8 subcompact lead kit | 5 |
| **977A260** | Vectris™ SureScan™ MRI 1x8 compact lead kit | 5 |
| **977A275** | Vectris™ SureScan™ MRI 1x8 compact lead kit | 5 |
| **977A290** | Vectris™ SureScan™ MRI 1x8 compact lead kit | 5 |
| **977C165** | Specify™ 5-6-5 lead kit | 6 |
| **977C190** | Specify™ 5-6-5 lead kit | 6 |
| **977C265** | Specify™ 2x8 lead kit | 6 |
| **977C290** | Specify™ 2x8 lead kit | 6 |
| **977D160** | Vectris™ 1x8 subcompact trial lead kit | 7 |
| **977D260** | Vectris™ 1x8 compact trial lead kit | 7 |
| **B31060** | Vanta™ connector plug kit | 8 |
| **EMBSNV20** | Adaptor extension | 6 |
| **HH9020SCS** | MyStim™ PC smart patient programmer | 5 |
| **NMRM6122** | TYRX™ neuro absorbable antibacterial envelope | 8 |
| **NMRM6133** | TYRX™ neuro absorbable antibacterial envelope | 8 |


## Legacy product repair

Please contact Medtronic Technical Services (1-800-707-0933) for support with a legacy product repair or replacement.

Itrel™ patient programmer, model 97740
PrimeAdvanced™ patient programmer, model 97740
Restore™ patient programmer, model 97740
Restore™ external patient recharger system, model 97754
Restore™ and Synergy™ external patient programmer antenna, model 37092

**SPINAL CORD STIMULATION BRIEF SUMMARY**

**INDICATIONS** Spinal cord stimulation (SCS) is indicated as an aid in the management of chronic, intractable pain of the trunk and/or limbs-including unilateral or bilateral pain.

**CONTRAINDICATIONS** Diathermy - Energy from diathermy can be transferred through the implanted system and cause tissue damage resulting in severe injury or death.

**WARNINGS** Sources of electromagnetic interference (e.g., defibrillation, electrocautery, MRI, RF ablation, and therapeutic ultrasound) can interact with the system, resulting in unexpected changes in stimulation, serious patient injury or death. An implanted cardiac device (e.g., pacemaker, defibrillator) may damage a neurostimulator, and electrical pulses from the neurostimulator may cause inappropriate response of the cardiac device. Patients with diabetes may have more frequent and severe complications with surgery. A preoperative assessment is advised for some patients with diabetes to confirm they are appropriate candidates for surgery.

**PRECAUTIONS** Safety and effectiveness has not been established for pediatric use, pregnancy, unborn fetus, or delivery. Avoid activities that put stress on the implanted neurostimulation system components. Recharging a rechargeable neurostimulator may result in skin irritation or redness near the implant site.

**ADVERSE EVENTS** May include: undesirable change in stimulation (uncomfortable, jolting or shocking); hematoma, epidural hemorrhage, paralysis, seroma, infection, erosion, device malfunction or migration, pain at implant site, loss of pain relief, and other surgical risks. Adverse events may result in fluctuations in blood glucose in patients with diabetes. Refer to www.medtronic.com for product manuals for complete indications, contraindications, warnings, precautions and potential adverse events.

Rx only. Rev 0422

Medtronic

710 Medtronic Parkway
Minneapolis, MN 55432-5604
USA
Tel: (763) 514-4000

**medtronic.com**

©2023 Medtronic. Medtronic, Medtronic logo, and Engineering the extraordinary are trademarks of Medtronic. ™* Third-party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company. UC202001491i EN